

RUTHERFORD REGIONAL MEDICAL CENTER  
2014 ANTIBIOTIC SUSCEPTIBILITY SUMMARY

ORGANISM

PERCENT SUSCEPTIBLE

	#	%*	A	U	Z	P	E	A	C	F	R	C	G	C	L	B	†
	I	I	M	N	O	R	R	N	E	O	O	E	E	I	E	A	‡
	S	S	I	S	Y	M	A	E	O	T	E	E	T	P	V	C	T
	O	O	C	Y	N	A	P	F	X	A	P	P	A	O	Q	R	O
	L	L	I	N	.	X	E	.	I	Z	H	I	M	.	U	I	F
	A	A	L	.	.	I	N	.	T	.	I	M	I	.	I	M	U
	T	T	L	.	.	N	E	.	I	.	N	E	C	.	N	.	R
	E	E	I	.	.	.	M	.	N	.	.	.	I	.	.	.	A
	S	S	N	.	.	.	.	.	.	.	.	.	N	.	.	.	N
GRAM	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
NEGATIVE	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
AEROBIC	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
<u>RODS</u>	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acinetobacter:	26	<1	X	X	X	92	X	X	X	77	23	81	85	69	73	73	X
Citrobacter:	37	<1	X	X	X	100	100	38	49	92	84	100	95	95	95	86	60
Enterobacter:	83	2	X	X	81	99	100	0	0	78	82	99	90	84	84	90	23
<i>Escherichia coli</i> :	1588	38	45	55	94	100	100	86	82	92	92	94	89	68	67	68	91
<i>Klebsiella pneumoniae</i> :	324	8	0	84	92	99	100	93	96	95	95	96	98	94	95	87	22
<i>Morganella morganii</i> :	22	<1	0	0	95	95	100	0	41	91	100	100	91	41	55	41	0
<i>Proteus mirabilis</i> :	242	6	64	86	99	77	100	84	88	89	89	89	88	40	41	65	1
Providencia:	29	<1	0	0	100	100	X	0	93	100	100	100	0	38	38	48	0
<i>Pseudomonas aeruginosa</i> :	169	4	X	X	100	93	X	X	X	91	X	92	83	57	54	X	X
Other Pseudomonas/Xanthomonas/Sphingomonas/Burkholderia:	25	<1	X	X	100	91	X	X	X	94	X	85	92	69	83	100	X
Salmonella:	11	<1	82	X	X	X	X	X	X	X	X	X	X	100	100	100	X
<i>Serratia marcescens</i> :	22	<1	X	X	X	X	100	0	27	91	100	100	95	95	95	100	0
All GNR:	2578	62	40	61	94	97	100	81	81	92	91	94	89	68	68	71	67

\* Percentage of aerobic isolates  
 † Antibiotic tested only against urinary isolates  
 X Antibiotic not tested (or insufficient data)



RUTHERFORD REGIONAL MEDICAL CENTER  
2014 ANTIBIOTIC SUSCEPTIBILITY SUMMARY

ORGANISM

PERCENT SUSCEPTIBLE

#	%*	A	A	C	Z	M	C	R	C	B	T	C	C	
		M	U	E	I	O	L	O	I	A	E	L	H	
		P	G	C	N	N	A	C	P	C	T	A	L	
		I	M	L	A	O	F	E	R	T	R	R	O	
		O	C	E	O	C	O	P	O	R	A	I	R	
		L	I	N	R	E	I	R	H	.	I	C	T	
		A	L	T	.	F	D	A	I	.	M	Y	H	
		T	L	I	.	.	.	N	N	.	.	C	R	
		E	I	N	.	.	.	.	.	.	.	L	O	
		S	N	.	.	.	.	.	.	.	.	I	M	
		.	.	.	.	.	.	.	.	.	.	N	Y	
		.	.	.	.	.	.	.	.	.	.	E	C	
		.	.	.	.	.	.	.	.	.	.	.	I	
		.	.	.	.	.	.	.	.	.	.	.	C	
		.	.	.	.	.	.	.	.	.	.	.	I	
		.	.	.	.	.	.	.	.	.	.	.	N	
		.	.	.	.	.	.	.	.	.	.	.	O	
		.	.	.	.	.	.	.	.	.	.	.	L	
		.	.	.	.	.	.	.	.	.	.	.	.	
<i>Haemophilus influenzae:</i>	20	<1	70	100	90	100	95	100	100	100	60	95	70	100

\* Percentage of aerobic isolates